

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN THE APPLICATION OF:  
GLASSMAN ET AL.

CASE NO.: BB1449 US NA

APPLICATION NO.: UNKNOWN

GROUP ART UNIT: UNKNOWN

FILED: CONCURRENTLY HEREWITH

EXAMINER: UNKNOWN

FOR: **RECOMBINANT CONSTRUCTS AND THEIR USE IN REDUCING GENE  
EXPRESSION**

Assistant Commissioner for Patents  
Washington, DC 20231

Sir:

**DECLARATION IN ACCORDANCE WITH 37 CFR 1.821**

I hereby state that the content of the paper and computer readable copies of the Sequence Listing, submitted in accordance with 37 CFR 1.821(c) and (e), respectively are the same.

Respectfully submitted,

  
LYNNE M. CHRISTENBURY  
ATTORNEY FOR APPLICANTS  
REGISTRATION NO. 30,971  
TELEPHONE: 302-992-5481  
FACSIMILE: 302-892-1026

Dated: 22 June 2001

**DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN APPLICATION DATA SHEET (37 CFR 1.76)**

As the below named inventor(s), I/we declare that:

This declaration is directed to:

The attached application, docket BB1449 US NA or

Application No. \_\_\_\_\_, filed on \_\_\_\_\_,

as amended on \_\_\_\_\_ (if applicable);

I/we believe that I/we am/are the original and first inventor(s) of the subject matter which is claimed and for which a patent is sought;

I/ we have reviewed and understand the contents of the above-identified application, including the claims, as amended by any amendment specifically referred to above;

I/we acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me/us to be material to patentability as defined in 37 CFR 1.56, including material information which became available between the filing date of the prior application and the National or PCT International filing date of the continuation-in-part application, if applicable; and

All statements made herein of my/own knowledge are true, all statements made herein on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001, and may jeopardize the validity of the application or any patent issuing thereon.

**FULL NAME OF INVENTOR(S)**

Inventor one: KIMBERLY F. GLASSMAN

Signature: \_\_\_\_\_ Citizen of: U.S.A.

Inventor two: WILLIAM J. GORDON-KAMM

Signature: \_\_\_\_\_ Citizen of: U.S.A.

Inventor three: ANTHONY J. KINNEY

Signature: \_\_\_\_\_ Citizen of: UNITED KINGDOM

Inventor four: KEITH S. LOWE

Signature: \_\_\_\_\_ Citizen of: U.S.A.

Additional inventors are being named on 1 additional form(s) attached hereto.

**Burden Hour Statement:** This collection of information is required by 35 U S C 115 and 37 CFR 1.63. The information is used by the public to file (and the PTO to process) an application. Confidentiality is governed by 35 U S C 122 and 37 CFR 1.14. This form is estimated to take 1 minute to complete. This time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

FULL NAME OF INVENTOR(S)	
Inventor one: <u>SCOTT E. NICHOLS</u>	
Signature: _____	Citizen of: <u>U.S.A.</u> _____
Inventor two: <u>KEVIN L. STECCA</u>	
Signature: _____	Citizen of: <u>U.S.A.</u> _____
Inventor three: _____	
Signature: _____	Citizen of: _____
Inventor four: _____	
Signature: _____	Citizen of: _____

SEQUENCE LISTING

<110> Glassman, Kimberly F.  
Gordon-Kamm, William J.  
Kinney, Anthony  
Lowe, Keith S.  
Nichols, Scott E.  
Stecca, Kevin L.

<120> RECOMBINANT CONSTRUCTS AND THEIR USE IN REDUCING GENE EXPRESSION

<130> BB1449 US NA

<140>

<141>

<160> 17

<170> Microsoft Office 97

<210> 1  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: ELVISLIVES PCR primer

<400> 1  
gaattcgcgg ccgcatggga ggttagaggc 30

<210> 2  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: PCR primer for amplification of soybean Fad2-1

<400> 2  
gaaaaaccat gcaaccatt ggtacttgct 30

<210> 3  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: PCR primer for amplification of soybean Fad2-1

<400> 3  
agcaagtacc aatgggttgc atggtttcc 30

<210> 4  
<211> 30

<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of soybean Fad2-1

<400> 4  
agcaagtacc aatggatact tgttcctgta 30

<210> 5  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of soybean Fad2-1

<400> 5  
tacaggaaca agtatccatt ggtacttgct 30

<210> 6  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: pKS102 linker

<400> 6  
gaattcgcgg ccgcattggga ggttagggc 30

<210> 7  
<211> 34  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of Cer3

<400> 7  
ggcgcgccaa gcttggatcc gtcgacggcg cgcc 34

<210> 8  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of Cer3

<400> 8  
gaattcgcgg ccggggcacg agatttggagg 30

<210> 9  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of Cer3

<400> 9  
ttgccccaatg tttatgcata tgtagaactg 30

<210> 10  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of Cer3

<400> 10  
cagttctaca tatgcataaa cattgggcaa 30

<210> 11  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: ELVISLIVES complementary region of pKS106 and pKS124

<400> 11  
gaattcgcgg ccgcggcacg agattgagg 30

<210> 12  
<211> 80  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: ELVISLIVES complementary region of pKS106 and pKS124

<400> 12  
cggccggagc tggtcatctc gtcatcgac gagtcggcgg ccgcggactc gacgatgagc 60  
gagatgacca gtcggccgg 80

<210> 13  
<211> 154  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: ELVISLIVES complementary region of pKS133

<400> 13  
cggccggagc tggtcatctc gctcatgtc gagtcggcg ccggagctgg tcatctcgct 60  
catcgatcgag tcggccggccg ccgactcgac gatgagcgag atgaccagct ccggccggccg 120  
actcgacgat gagcgagatg accagctccg gccg 154

<210> 14  
<211> 92  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: ELVISLIVES PCR primer

<400> 14  
gaattccggc cgaggactggt catctcgctc atcgatcgagt cggccggccgc cgactcgacg 60  
atgagcgaga tgaccagctc cggccggaaat tc 92

<210> 15  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: ELVISLIVES PCR primer

<400> 15  
gaattccggc cgagg 15

<210> 16  
<211> 33  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of soybean Fad2-1

<400> 16  
gaattcgcgg ccgctgagtg attgctcacg agt 33

<210> 17  
<211> 33  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of soybean Fad2-1

<400> 17  
gaattcgcgg ccgcttaatc tctgtccata gtt 33

<210> 18  
<211> 32  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of soybean Fad2-1, 5'-end

<400> 18  
gaattcgcgg ccgccccatc tattgggttc tc 32

<210> 19  
<211> 32  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of soybean Fad2-1, 3'-end of 25 nucleotide fragment

<400> 19  
gaattcgcgg ccgcaacctt ggagaaccca at 32

<210> 20  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of soybean Fad2-1, 3'-end 75 nucleotide fragment

<400> 20  
gaattcgcgg ccgcggcatg gtgaccacac tc 32

<210> 21  
<211> 32  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of soybean Fad2-1, 3'-end of 150 nucleotide fragment

<400> 21  
gaattcgcgg ccgcgtgagaa ataaggact aa 32

<210> 22  
<211> 32  
<212> DNA  
<213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: PCR primer for amplification  
 of soybean Fad2-1, 3'-end 300 nucleotide fragment

<400> 22  
 gaattcgcgg ccgcgagtgt gacgagaaga ga 32

<210> 23  
 <211> 22  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: PCR primer for amplification  
 of soybean Fad2-1, 3'-end 600 nucleotide fragment

<400> 23  
 gaattcgcgg ccgcttctga tgaatcgtaa tg 32

<210> 24  
 <211> 1717  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: ELVISLIVES complementary  
 region of pBS68

<400> 24  
 cggccggagc tggtcatctc gtcatcg tc gagtcggcgg ccgcgtggc attgctc acg 60  
 agtgtggtca ccatgccttc agcaagtacc aatgggttga tggatgttgc ggtttgaccc 120  
 ttcactcaac acttttagtc ctttatttct catggaaaat aagccatcgc cgccatcact 180  
 ccaacacagg ttcccttgac cgtgatgaag tgggttgc tccaaaggaa tccaaaggatg 240  
 catggtttcc caagttactta aacaaccctc taggaaggc tggatgttgc ttcgtcacac 300  
 tcacaatagg gtggcctatg tatttagcct tcaatgttgc tggtagatcc tatgatagtt 360  
 ttgcaagcca ctaccaccct tatgctccca tatattctaa ccgtgagagg cttctgatct 420  
 atgtctctga tggatgttgc ttttctgtga ctactctct ctaccgttgc gcaaccctga 480  
 aagggttgg tggatgttgc tggatgttgc tggatgttgc tggatgttgc aacggtttc 540  
 ttgtactat cacatatttgc cagcacacac actttgcctt gcctcattac gattcatcag 600  
 aatgggactg gctgaaaggaa gcttggc aa ctatggac agatggac ggcgcatgcc 660  
 tccagaaaag aaagaaaattt tcaagtcctt ggaggatgg gcctcggagt gggcctacc 720  
 gctgctgaag cccgtggagc atgctggca gccacaaaac ttcctccctg acccctccct 780  
 tccgcatttca gctggcatgg accctggac agacaacaac ccatatttgc ggtttgttgc 840  
 tgatgatgtac ttgtgggtgc tggatgttgc tatggatgttgc gaggacgc tttccactt 900  
 ccagaccatg atcaacaacc ttgtatggatg gaaagatgac agcggcaca gcccggcc 960  
 gtggccgtg tggatgttgc tggatgttgc tggatgttgc tggatgttgc tggatgttgc 1020  
 aacttatttgc tatctcttgc tggatgttgc tggatgttgc tggatgttgc tggatgttgc 1080  
 cctcatttca gctggcatgg accctggac agacaacaac ccatatttgc ggtttgttgc 1140  
 cacgtcatcc caagacgc gacatgttgc tggatgttgc tggatgttgc tggatgttgc 1200  
 ggaggccgg gatccatgtc tggatgttgc tggatgttgc tggatgttgc tggatgttgc 1260  
 agcggcaca gacatgttgc tggatgttgc tggatgttgc tggatgttgc tggatgttgc 1320  
 gggcaatggt ggcataagg aacatgttgc tggatgttgc tggatgttgc tggatgttgc 1380  
 tggatgttgc tggatgttgc tggatgttgc tggatgttgc tggatgttgc tggatgttgc 1440  
 gctgttacac cgttacatgtc tggatgttgc tggatgttgc tggatgttgc tggatgttgc 1500  
 gagaagtttgc aaggattgtat gcttggatgttgc tggatgttgc tggatgttgc tggatgttgc 1560  
 tggatgttgc tggatgttgc tggatgttgc tggatgttgc tggatgttgc tggatgttgc 1620  
 agcatcatgtc cgttacatgtc tggatgttgc tggatgttgc tggatgttgc tggatgttgc 1680  
 ccgactcgac gatgttgc tggatgttgc tggatgttgc tggatgttgc tggatgttgc 1717

<210> 25  
<211> 21  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of soybean Lea promoter 5'-end

<400> 25  
attaacacctca attcttctaa g 21

<210> 26  
<211> 20  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of soybean Lea promoter 3'end

<400> 26  
ttcaaaagatc aattatttcc 20

<210> 27  
<211> 22  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of phaseolin terminator 5'-end

<400> 27  
catggccacg tgcatgaagt at 22

<210> 28  
<211> 22  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial Sequence: PCR primer for amplification of phaseolin terminator 3'-end

<400> 28  
atccctgaag tgtctcattt ta 22

<210> 29  
<211> 963  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: ELVISLIVES complementary region of pKS149

<400> 29

cggccggagc	tggtcatctc	gctcatgtc	gagtccgg	ccgctgagct	gatttaaatac	60
accactgtca	aaaccacat	caccgacgt	caagccagg	tcgcccacca	tcatggtcgt	120
gcctacgtca	ccttcctcgc	cgaaacggt	gactatgt	aagggtgtgt	tggcttggca	180
aaagggtctga	gaaaagtga	gagcatgtac	cctctgggt	ttgcagtgt	acccgatgtt	240
cccccaagatc	accgcaacat	tctcaccc	caagggttgca	ttgttagaga	gattgagccc	300
gtgtacccccc	cagagaatca	aacccagttt	gcccattggcat	attacgtcat	caactattcc	360
aagctacgtt	tttgggagtt	tgtggagtt	agcaagatga	tatacctaga	cggtgatatac	420
caagtttttgc	acaacattga	ccacttggga	tcgatcctga	gctgatttaa	accaccgttg	480
ttgccaatgt	caccaccgag	caatttacca	aggctgtgg	aggaagtggg	cgtgccttcg	540
tgacctttct	tgctgggaaac	ggtgattacg	taaagggtgt	cgtgggtttt	gccaaggagac	600
tgagaaaaggc	caaaagcatg	tacccttgg	tgggtgtgt	gttaccagat	gttccctgaag	660
aacatcggtga	gatttcaaa	tcccaaggtt	gcattgtcag	ggagattgaa	cctgtgttacc	720
ctcctgagaa	ccagaccctag	tctgtcatgg	ccttattatgt	catcaattac	tccaaagctac	780
gtatttggga	gttcgtggag	tacaagaaga	cgatatacct	agacgggtgac	atccaagttat	840
ttggaaacat	agaccacttgc	tttgatctgt	gagctgat	aagcggccgc	cgactcgacg	900
atgagcgaga	tgaccagctc	cggccggccga	ctcgacgatg	agcgagatga	ccagctccgg	960
ccg						963

<210> 30

<211> 987

<212> DNA

<213> Glycine max

<400> 30

atggctcccta	atatcaccac	tgtcaaaacc	accatcaccg	acgctcaagc	caagggtcgcc	60
accgatcatg	gtcgtgccta	cgtcaccc	ctcgccggaa	acgggtgacta	tgtgaaaggt	120
gtcgttggct	tggcaaaagg	tctgagaaaa	gtgaagagca	tgtaccctct	ggtgggttgc	180
gtgctaccc	atgttcccc	agatcaccgc	aacattctca	cctcccaagg	ttgcattgtt	240
agagagatgt	agccctgtt	ccccccagag	aatcaaacc	attttgcatt	ggcatattac	300
gtcatcaact	attccaagct	acgtatttgg	gagtttgg	agtacagcaa	gatgatatac	360
ctagacgggt	atatccaatgt	ttttgacaac	attgaccact	tgtttgactt	gcctgataac	420
tacttctatg	cggtgtatgg	ctgtttctgt	gagccaactt	ggggccacac	taaacaat	480
cagatcggtt	actgcccagca	gtgccccat	aaggttcagt	ggcccactca	ctttgggccc	540
aaacaccttcc	tctatttcaa	tgctggcatg	tttggatgt	agcccaattt	ggctacttac	600
cgtgaccc	ttcaaacatgt	ccaagtcacc	cagcccaattt	cctttgtgt	acaggatttt	660
ttgaacatgt	acttcaagga	caaataatagg	ccaatttctca	atgtctacaa	tcttggctgt	720
gcatgttgt	ggcgtcaccc	tgagaacgtt	gagtttgaca	aagttaaatgt	gttcaactac	780
tgtgtgtgt	ggtctaagcc	ttggagggtac	actggaaagg	aggagaatat	ggagagagaa	840
gatatacaga	tgttagtgaa	aaagtgggtt	gatataatgt	aggatggagac	tttggactac	900
aacaatccac	tcaatgttga	taagttcaact	ggggactta	tggaggttgg	tgaagtcaag	960
ttcgtccgtt	ccccatctgc	tgcttaa				987

<210> 31

<211> 328

<212> PRT

<213> Glycine max

<400> 31

Met	Ala	Pro	Asn	Ile	Thr	Thr	Val	Lys	Thr	Thr	Ile	Thr	Asp	Ala	Gln
5														15	

Ala	Lys	Val	Ala	Thr	Asp	His	Gly	Arg	Ala	Tyr	Val	Thr	Phe	Leu	Ala
20														30	

Gly Asn Gly Asp Tyr Val Lys Gly Val Val Gly Leu Ala Lys Gly Leu  
35 40 45

Arg Lys Val Lys Ser Met Tyr Pro Leu Val Val Ala Val Leu Pro Asp  
50 55 60

Val Pro Gln Asp His Arg Asn Ile Leu Thr Ser Gln Gly Cys Ile Val  
65 70 75 80

Arg Glu Ile Glu Pro Val Tyr Pro Pro Glu Asn Gln Thr Gln Phe Ala  
85 90 95

Met Ala Tyr Tyr Val Ile Asn Tyr Ser Lys Leu Arg Ile Trp Glu Phe  
100 105 110

Val Glu Tyr Ser Lys Met Ile Tyr Leu Asp Gly Asp Ile Gln Val Phe  
115 120 125

Asp Asn Ile Asp His Leu Phe Asp Leu Pro Asp Asn Tyr Phe Tyr Ala  
130 135 140

Val Met Asp Cys Phe Cys Glu Pro Thr Trp Gly His Thr Lys Gln Tyr  
145 150 155 160

Gln Ile Gly Tyr Cys Gln Gln Cys Pro His Lys Val Gln Trp Pro Thr  
165 170 175

His Phe Gly Pro Lys Pro Pro Leu Tyr Phe Asn Ala Gly Met Phe Val  
180 185 190

Tyr Glu Pro Asn Leu Ala Thr Tyr Arg Asp Leu Leu Gln Thr Val Gln  
195 200 205

Val Thr Gln Pro Thr Ser Phe Ala Glu Gln Asp Phe Leu Asn Met Tyr  
210 215 220

Phe Lys Asp Lys Tyr Arg Pro Ile Pro Asn Val Tyr Asn Leu Val Leu  
225 230 235 240

Ala Met Leu Trp Arg His Pro Glu Asn Val Glu Leu Asp Lys Val Lys  
245 250 255

Val Val His Tyr Cys Ala Ala Gly Ser Lys Pro Trp Arg Tyr Thr Gly  
260 265 270

Lys Glu Glu Asn Met Glu Arg Glu Asp Ile Lys Met Leu Val Lys Lys  
275 280 285

Trp Trp Asp Ile Tyr Glu Asp Glu Thr Leu Asp Tyr Asn Asn Pro Leu  
290 295 300

Asn Val Asp Lys Phe Thr Ala Ala Leu Met Glu Val Gly Glu Val Lys  
305 310 315 320

Phe Val Arg Ala Pro Ser Ala Ala  
325

<210> 32  
<211> 1350  
<212> DNA  
<213> Glycine max

<400> 32

gcacgagaaa	caaccaacct	cttcagtat	ctttgattag	tactaagcta	aaccatttct	60
tattccctca	aaatcaaaac	cttttcttt	ctagctattt	ccctttcaa	atcatgccac	120
ctaacatcac	caccgttgtt	gccaatgtca	ccaccgagca	attacccaag	gctcggtggag	180
gaagtggcg	tgccttcgtg	acctttctg	ctgggaacgg	tgattacgta	aagggtgtcg	240
tgggtttggc	caaaggactg	agaaaggcca	aaagcatgta	ccctttggg	gttgcgtgtgt	300
taccagatgt	tcctgaagaa	catcgtgaga	ttctcaaattc	ccaagggttgc	attgtcagggg	360
agattgaacc	tgttacccct	cctgagaacc	agaccaggat	cgccatggcc	tattatgtca	420
tcattactc	caagctacgt	atttgggagt	tcgtggagta	caagaagacg	atatacctag	480
acggtgacat	ccaagtattt	gaaacatag	accacttgg	tgatctgcct	gataattatt	540
tctatgcgggt	gatgattgt	ttctgcgaga	agacttggag	ccacaccct	cagttccaga	600
ttgggtactg	ccaacagtgc	cctgataagg	ttcaatggcc	ctctcactt	ggttccaaac	660
ctctctata	tttcaatgtc	ggcatgtttt	tttatgagcc	taatctcgac	acctaccgtg	720
atcttctcca	aactgtccaa	ctcacaaggc	ccacttcttt	tgctgagcag	gactttctca	780
acatgtactt	caaggacaag	tacaagccaa	taccaacat	gtacaacctt	gtgctggcca	840
tgttgtggcg	tcaccctgaa	aatgttgaac	ttgataaaagt	tcaagtgggt	cattactgtg	900
ctgctgggtc	taaggcttgg	aggttactg	ggaaggaaga	gaacatggat	agggaaagata	960
tcaagatgtc	tgtgaagaag	tgttgggaca	tatatgaaga	tgagacactg	gactacaata	1020
acaactctgt	caacgtggaa	cgtttcacat	cggcactatt	ggatgctggg	ggctttcagt	1080
ttgtgccagc	accttctgct	gcctaaatatg	cttattattt	acagctacaa	attaatgtta	1140
attaaacgaca	aagtatatgt	attgttattt	gcttttttc	gtttttgggt	cttataatatg	1200
aaggaacaac	gtctatgtt	ttaatttgg	tgaccttctt	gtatacaaag	ccacatgtga	1260
tctcatacag	cttttgatta	ttattaagaa	attagaggac	cttttattat	gagtccttta	1320
cttaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa			1350

<210> 33  
<211> 358  
<212> PRT  
<213> Glycine max

<400> 33

Ser	Leu	Ile	Ser	Thr	Lys	Leu	Asn	His	Phe	Leu	Phe	Pro	Gln	Asn	Gln	
1																15
Asn	Leu	Phe	Leu	Ser	Ser	Tyr	Phe	Pro	Phe	Gln	Ile	Met	Pro	Pro	Asn	
	1			5					25							30
Ile	Thr	Thr	Val	Val	Ala	Asn	Val	Thr	Thr	Glu	Gln	Leu	Pro	Lys	Ala	
					35				40							45
Arg	Gly	Gly	Ser	Gly	Arg	Ala	Phe	Val	Thr	Phe	Leu	Ala	Gly	Asn	Gly	
					50			55								60
Asp	Tyr	Val	Lys	Gly	Val	Val	Gly	Leu	Ala	Lys	Gly	Leu	Arg	Lys	Ala	
					65			70			75					80
Lys	Ser	Met	Tyr	Pro	Leu	Val	Val	Ala	Val	Leu	Pro	Asp	Val	Pro	Glu	
					85				90							95
Glu	His	Arg	Glu	Ile	Leu	Lys	Ser	Gln	Gly	Cys	Ile	Val	Arg	Glu	Ile	
						100			105							110
Glu	Pro	Val	Tyr	Pro	Pro	Glu	Asn	Gln	Thr	Gln	Phe	Ala	Met	Ala	Tyr	
					115				120							125

Tyr Val Ile Asn Tyr Ser Lys Leu Arg Ile Trp Glu Phe Val Glu Tyr  
130 135 140

Lys Lys Thr Ile Tyr Leu Asp Gly Asp Ile Gln Val Phe Gly Asn Ile  
145 150 155 160

Asp His Leu Phe Asp Leu Pro Asp Asn Tyr Phe Tyr Ala Val Met Asp  
165 170 175

Cys Phe Cys Glu Lys Thr Trp Ser His Thr Pro Gln Phe Gln Ile Gly  
180 185 190

Tyr Cys Gln Gln Cys Pro Asp Lys Val Gln Trp Pro Ser His Phe Gly  
195 200 205

Ser Lys Pro Pro Leu Tyr Phe Asn Ala Gly Met Phe Val Tyr Glu Pro  
210 215 220

Asn Leu Asp Thr Tyr Arg Asp Leu Leu Gln Thr Val Gln Leu Thr Lys  
225 230 235 240

Pro Thr Ser Phe Ala Glu Gln Asp Phe Leu Asn Met Tyr Phe Lys Asp  
245 250 255

Lys Tyr Lys Pro Ile Pro Asn Met Tyr Asn Leu Val Leu Ala Met Leu  
260 265 270

Trp Arg His Pro Glu Asn Val Glu Leu Asp Lys Val Gln Val Val His  
275 280 285

Tyr Cys Ala Ala Gly Ser Lys Pro Trp Arg Phe Thr Gly Lys Glu Glu  
290 295 300

Asn Met Asp Arg Glu Asp Ile Lys Met Leu Val Lys Lys Trp Trp Asp  
305 310 315 320

Ile Tyr Glu Asp Glu Thr Leu Asp Tyr Asn Asn Asn Ser Val Asn Val  
325 330 335

Glu Arg Phe Thr Ser Ala Leu Leu Asp Ala Gly Gly Phe Gln Phe Val  
340 345 350

Pro Ala Pro Ser Ala Ala  
355

<210> 34  
<211> 515  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: SHH3 complementary  
region of PHP17939

<400> 34  
gttaacagct ttatttgttc tagttgttc atgaaatatt tttttggttt tatctccgtt 60  
gtaagaaaat catgtgcttt gtgtcgccac tcactattgc agcttttca tgcattggtc 120  
agattgacgg ttgattgtat ttttggttt tatgttttg tgttatgact taagtcttca 180

tctctttatc tcttcatca gtttgcggc tacttaatat ggtgcata gtttgcggc 240  
actagaaaacc atgaaaggta ccaagatata aaccgcggaa agatcgta aatggcatgt 300  
taaataaccg tcaaaccctga tgaagagata aagagatgaa gacttaagtc ataacacaaa 360  
accataaaaaa acaaaaatac aatcaaccgt caatctgacc aatgcata gaaagctgca 420  
tagttagtgg cgacacacaag cacatgattt tcttacaacg gagataaaaac caaaaaata 480  
tttcatgaac aacctagaac aaataaagcg ttaac 515

<210> 35  
<211> 1968  
<212> DNA  
<213> Glycine max

<400> 35

atgccacaca acacaatggc ggccaccgct tccagaacca cccgattctc ttcttcctct 60  
tcacacccca ctttcccaa acgcattact agatccaccc tccctctctc tcataaaacc 120  
ctcaccaaaac ccaaccacgc tctcaaaatc aaatgttca tctccaaacc cccacggcg 180  
gccccttca ccaaggaagc gccgaccacg gagcccttcg tgcacgggtt cgcctccggc 240  
gaacctcgca agggcgcggc catccttgcg gaggcgctgg agaggcaggc cgtgacgacg 300  
gtgttcgcgtt accccggcggc tgcgtcgatg gagatccacc aggcgcgtcac ggcctccggc 360  
gccccatccgcac acgtgtctcc ggcgcacgag caggcgccg tcttcgcgc cgaaggctac 420  
gcccgttccct cccgcctcccg cggcgtctgc attggccacccctt ccggccccgg cggccaccaac 480  
ctcgtgagcg gcctcgccga cgctttaatg gacagcgatcc cagtcgtcgcatc ctcaccggc 540  
caggctcgccgc cccgatgtat cggcaccgac gccttccaag aaaccccgat cgtggaggtg 600  
agcagatcca tcacaagca caactacccatc atcctcgacg tcgacgacat ccccccgcgtc 660  
gtcgccgagg ctttcttcgtt cggccacccctt ccggccccgg gtccggctt catcgacatt 720  
cccaaaagacg ttcaagcagca actcgccgtt cctaatttggg acgagcccgtaaaccctcc 780  
gtttacccgtt ccagcgatcc caggcccccc gccgaggccc aatttggaaaca cattgtcaga 840  
ctcatcatgg aggcccaaaa gcccgttccatc tacgtcgccg tggcagttt gaattccagt 900  
gctgaatttga ggcgtttgtt tgaactcaactt ggtattcccg ttgcgttagcac tttaatgggt 960  
cttggaaactt ttccttattgg ttagttaatat tcccttcaga tgctgggtat gcatggact 1020  
gtttatgtca actatgtctgt tgacaataatg gatttggc ttgcctttgg ggttaagggtt 1080  
gatgaccgtt ttactggaa gcttgcggat tttgcgtatg gggcttaatg tggcgttccat 1140  
gatatttggattt ctgcgcgat tggaaagaac aagcaggcgc acgtgtcggtt ttgcgcggat 1200  
tttggaaactt ttccttattgg ttagttaatat tcccttcaga tgctgggtat gcatggact 1260  
tttggatcttgc gagggtggag agaagagatt aatgtgcaga aacacaaggat tccattgggt 1320  
tacaagacat tccaggacgc gatttctccg cagcatgcta tcgaggttctt tgatgagttt 1380  
actaatggag atgttattgt tagtactggg gttggcgcgatcaatgtt ggctgcgcag 1440  
ttttacaatgtt acaagagacc gaggcgttgc ttgcacccatcg ggggtcttgg agccatgggt 1500  
tttggatttgc ctgcgcgtat tgggtgtgtt gttgtcaacc ctggggctgtt tgggttgc 1560  
attgtatgggg atggtagttt catcatgat gttcaggatg tggccactat aagagtggag 1620  
aatctcccaatgtt ttaagatattt gttgttgc aatcagcatt tgggtatgtt ggttgcgtt 1680  
gaggataggt tctacaatgtt caatagatgat cacacccatc ttggatgttcc gtttgcgtt 1740  
agcgagatat tcccaaaatgtt gctcaatgtt gttgtatgtt gttggatacc ggcagcgcga 1800  
gtgacgaaatgtt aggaagatgtt tagagcggca attcagatgaa tgggtggacac ccctggcccc 1860  
tacccatccatgtt atgttgcgtt gcccgttccatcg gaggatgttgc tggcgttccat 1920  
ggatccttca aggtgttgc aacttgcggat gatgttgc gaggatgttgc 1968

<210> 36  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: PCR primer for amplification  
of soybean Fad2-1, 3'-end 50 nucleotide fragment

<400> 36

gaattcgcgg ccgcattcacc cacacacccag tg

32